



Temporary Crown Resin

Photoreactive Resin for Dazzle 3D Printer

Safety Data Sheet

GHS/CLP Labelling

Hazard pictograms:



Signal word: Warning

Revision Date: 01/12/2020

Version: 1.1

1. Product and Company Information

Product Identification: Photoreactive Resin

Product Class: Methacrylated monomer, Methacrylated oligomers, photoinitiators, proprietary pigment and additive package

Product Use: For use in Dazzle 3D printer

Company: Dazzle Laser Forming Technology CO., Ltd.

K-2F, Junxiangda Building A, Zhongshanyuan Rd. No. 9, Nansan Dist, Shenzhen, Guangdong, China -818052

Date of Preparation: 01/12/2020

For Emergencies: +86-0755-33372859

2.

EMERGENCY OVERVIEW

COLOR: KHAKI

PHYSICAL STATE: LIQUID

ODOR: LIGHT ACRYLIC

*Classification of the substance or mixture:

Serious eye damage/eye irritation, Category 1

Skin corrosion/irritation, Category 1

GHS/CLP LABELLING

Hazard pictograms:



Signal word: Warning

HAZARD STATEMENTS

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation

PRECAUTIONARY STATEMENT(S)

Prevention:

- P261 Avoid breathing gas/mist/vapors/spray
- P264 Wash skin thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release into the environment
- P280 Wear protective gloves/protective clothing/eye protection/face protection

Response:

- P302 + P352: IF ON SKIN (or hair) : Wash with plenty of soap and water.
- P305 + P351 + P338 : IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor/physician.
- P362 : Take off contaminated clothing and wash before reuse.
- P391 : Collect spillage.

SUPPLEMENTAL HEALTH INFORMATION

Potential Health Effects:

Irritating to eyes, respiratory system and skin. Prolonged or repeated exposure may cause: headache, drowsiness, nausea, weakness (severity of effects depends on extent of exposure).

Other:

This product may release fume and/or vapor of variable composition depending on processing time and temperature. Possible cross sensitization with other acrylates and methacrylates.

3. Composition/Information on Ingredient

| F20 | | | | |
|---------------------|-------------|-------------|------------------------------|---|
| Components | % by weight | C.a.s. No. | Hazard Statements | UK/EU Classification |
| Acrylated monomer | 10-30 | 66492-51-1 | | |
| Acrylated monomer | 15-35 | 5117-12-4 | H315,H317, H318,H319,H335 | Xi; Irritant, R36/37/38, R43 S3, S7/9, S20, S26, S29, S37/39 |
| Acrylated oligomer | 20-40 | Proprietary | H315,H317,H318, H319 | Xi; Irritant, R36/37/38, R43 S3, S7/9, S20, S26, S29, S37/39 |
| Acrylated oligomer | 20-40 | Proprietary | | |
| Photoinitiator | 0.5-5 | 162881-26-7 | | |
| Pigments | 0.1-3 | Proprietary | | |
| Specialty additives | 0.1-5 | Proprietary | | |

4. First-Aid Measures

Emergency Overview:

This product is a Khaki colored liquid with a characteristic odor. This product may cause skin and eye irritation. The inhalation of high vapor concentration may cause a headache and nausea.

Inhalation:

In case of exposure to a high concentration of vapor or mist, remove person to fresh air. Seek medical attention immediately.

Eye Contact:

Immediately flush with plenty of clean water (under eye lids) for at least 20 minutes. Hold eyelids apart to ensure flushing. Washing within one minute of contact is essential to achieve maximum effectiveness. Seek medical attention immediately.

Skin Contact:

Remove contaminated clothing and rinse contact area thoroughly with soap and water. Particular attention should be paid to hair, nose, and ears, and other areas not easily cleaned. Wash clothing

before reuse.

Ingestion:

If ingested, dilute with water by giving glasses of water or milk to the victim. Do not give anything by mouth if the victim is rapidly losing consciousness, is unconscious, or convulsing. Do not induce vomiting. If vomiting occurs naturally, keep airways clear. Get medical attention.

5. Fire-Fighting Measures

Flash Point: > 100 °C/ 200 °F

Method: PMCC

Ignition Temperature: No data

Lower Explosion Limit: No data

Upper Explosion Limit: No data

Combustion and Explosion Hazards:

High temperatures, flame retardant removers, accidental mixing, or exposure to radiation or oxidizing agents may cause spontaneous polymerization reactions and generate heat and pressure. When the polymer is removed, the closed container may crack or rupture.

Extinguishing Media:

Use carbon dioxide or dry chemical for small fires; aqueous foam or water spray for large fires.

Special Firefighting Procedures: Firefighters should wear full protection clothing and self-contained breathing apparatus (SCBA). Thoroughly decontaminate firefighting equipment including all firefighting apparel after the incident.

6. Accidental Release Measures

Procedures of Personal Precautions: Wear adequate personal protective clothing and Equipment

Environmental Precautions: Contain spill to prevent spread into drains, sewers, water supplies, or soil. Avoid release into the environment. Dispose of in accordance with local regulations.

7. Handling and Storage

Handling Precautions: User Exposure — This product should be used in well-ventilated areas.

Product may cause irritation. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash hands with soap and water before eating, drinking, smoking, applying cosmetics, or using toilet facilities. Launder contaminated clothing before reuse. Contaminated leather articles, including shoes, cannot be decontaminated and should be destroyed to prevent reuse. Solvents should never be used to clean hands or skin because they increase the

penetration of the material into skin.

Storage Precautions: Suitable —Store in a cool, dry place out of direct sun light, in opaque or amber containers. Store the containers at 10 - 35 ° C (50 - 95 ° F). when in storage. Keep containers closed. Avoid ignition sources.

8. Exposure Controls & Personal Protection

EXPOSURE LIMITS

| Components | PEL | TLV |
|-------------------------|------|------|
| Methacrylated oligomers | None | None |
| Methacrylated monomer | None | None |
| Photoinitiator(s) | None | None |
| Specialty Additives | None | None |

Respiratory Protection;

If this material is handled at elevated temperature, under mist forming conditions or in case of accidental release of large quantities of product use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

Eye and Face Protection:

Chemical splash goggles or a face shield is recommended during operations where splashing could occur.

Skin Protection:

Avoid all skin contact. Depending on the conditions of use, cover as much of the exposed skin area as possible by wearing gloves, aprons, long pants, and long sleeved shirts.

Ventilation Controls: Ensure adequate ventilation.

Other Controls:

For operations where contact can occur a safety shower and eye wash facility should be available. Always use good personal hygiene and housekeeping practices. Wash hands thoroughly after handling.

9. Physical & Chemical Properties

Appearance: Khaki, Liquid

Odor: Light Acrylate

Specific Gravity: 1.10-1.14 g/cm³

Viscosity: 800-900cps m.Pa.s (25 °C)

Boiling Point: >100 °C
Flash Point:>100 °C
Upper Explosion Limit: no data
Lower Explosion Limit: no data
Vapour Pressure: Not established
Volatile Characteristics: Negligible
Solubility in Water: Only very slightly soluble
Solubility in Organic Solvents: Soluble in organic solvents
Electric Conductivity: Insulation

10. Stability and Reactivity

Stability:

Stable when stored in original container designed for use with light sensitive materials under 35 ° C (95 ° F) in dark, cool place.

Conditions to Avoid:

Storage > 38 ° C (100 ° F), exposure to light, loss of dissolved air, and contamination with incompatible materials.

Incompatible Materials to Avoid:

Polymerization initiators, including peroxides, strong oxidizing agents, alcohols, copper, copper alloys, carbon steel, iron, rust, and strong bases.

Hazardous Polymerization: Hazardous polymerization may occur.

Hazardous Decomposition Products:

Hazardous decomposition products may include oxides of carbon, nitrogen and various hydrocarbon fragments.

11. Toxicological Information

| NPCA HMIS | NPCA HMIS | Class |
|----------------------------|-----------|--|
| Health | | 2 |
| Flammability | | 1 |
| Reactivity | | 2 |
| A. Methacrylated oligomers | | Acute Oral Toxicity (rat) LD50>2000mg/kg |
| B. Methacrylated monomer | | Acute Oral Toxicity (rat) LD50>3000mg/kg |
| C. Photoinitiator (s) | | No data available |
| D. Specialty Additives | | No data available |

Individual components of this product are not reported to produce mutagenic effects in humans.

None of the components of this material are listed by IARC, NTP, OSHA or ACGIH as

carcinogens.

12. Ecological Information

Keep product from waterways and watersheds. This substance is not readily biodegradable.

Dispose of in accordance with all applicable federal, state and local regulations.

A. Methacrylated oligomers No data available

B. Methacrylated monomer May be harmful to various species of fish, algae and water microorganisms

C. Photoinitiator(s) No data available

D. Specialty additives No data available

13. Disposal Considerations

Dispose of in accordance with governmental regulations (community, national or regional).

Contact a licensed professional waste disposal service to dispose of this mixture. As with all foreign substances, do not allow to enter storm or sewer drainage systems. Avoid release into the environment. Dispose of as unused product. Expose the open emptied container to light until material has solidified, then dispose.

14. Transport Information

UN-Number

DOT, TDG, ADN, IMDG, IATA: Non-regulated material

UN-Proper Shipping name

DOT, TDG, AND, IMDG, IATA: Non-regulated material

Transport hazard class(es)

DOT, TDG, ADN, IMDG, IATA

Class: Non-regulated material

15. Regulatory Information

Toxic Substance Control Act, TSCA (American) :

All components of this product are listed or excluded from the TSCA inventory of the US Environmental Protection Agency.

TSCA Section 12 (b):

All of the chemical substances appearing on this list are subject to the Toxic Substances Control Act (TSCA) section 12(b) export notification requirements.

California Proposition 65:

This product not contains a chemical known to the State of California to cause cancer birth defects or other reproductive harm

16. Other Information

Disclaimer:

The information and recommendations contained herein are believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We assumes no responsibility and shall not be held liable for any damage resulting from handling or from contact with the above product.

Revision Date: 01/12/2020

Version: 1.1